STATEMENT OF WORK TO INSPECT AND REPAIR ONLY AS NECESSARY THE MODULAR UNIVERSAL LASER EQUIPMENT, AN/PAQ-3, NSN 1260-01-122-8735

Prepared by: Life Cycle Management Center Code 833-1 814 Radford Blvd STE 20320 Albany, GA 31704-0320

TABLE OF CONTENTS

<u>Paragraph</u>	<u>Title</u>	<u>Page</u>
1.0	Scope	1
1.1	Background	1
2.0	Applicable Documents	1
2.1	Military Standards	1
2.2	Other Government Documents and Publications	1
2.3	Industry Standards	2
3.0	Requirements	3
3.1	General Tasks	3
3.2	Detailed Tasks	3
3.2.1	Phase I- Pre-Induction	3
3.2.2	Phase II- Repair	3
3.2.3	Phase III- Inspection, Testing, and Acceptance	4
3.2.4	Phase IV- Packing, Handling, Storage, and Transportation	
	(PHS&T)	4
3.3	Government Furnished Equipment (GFE)/Government	5
	Furnished Materiel (GFM)	
3.4	Contractor Furnished Materiel	5
3.5	Configuration Control	5
3.6	Electrostatic Discharge Control (ESD) Control Program	5
3.7	Quality Assurance Provisions	5
3.8	Acceptance	5
3.9	Rejection	6
4.0	Reports	6
4.1	Pre-Induction Checklist	6
4.2	Repairable Item Inspection Report	6
4.3	Monthly Progress Reports	6
Appendix		
A	DA Form 2404 (1 Apr 79)	A-1
В	Standard Form 364 (Rev. 2-80)	B-1

STATEMENT OF WORK To Inspect and Repair Only as Necessary the MODULAR UNIVERSAL LASER EQUIPMENT, AN/PAQ-3, NSN: 1260-01-122-8735

- **1.0** <u>SCOPE</u>. This Statement of Work (SOW) establishes, sets forth tasks, and identifies the work effort that shall be performed by the Contractor to Inspect and Repair Only as Necessary (IROAN) the Modular Universal Laser Equipment (MULE), NSN: 1260-01-122-8735; hereafter referred to as the AN/PAQ-3. This document contains requirements to restore the AN/PAQ-3 to Condition Code "A". Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."
- **1.1** <u>Background</u>. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- **2.0** <u>APPLICABLE DOCUMENTS</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-129 DoD Standard Practice for Military Marking

MIL-STD-2073-1D DoD Standard Practice for Military Packaging

2.2 Other Government Documents and Publications. The issues of those documents cited below shall be used.

SL-3-08892A	Components List for the MULE Intermediate Maintenance Kit.
MI-08892A-35/1	Modification of the MULE Test Set Adapter
MI-08554D-50/1	Modification of Night Sight, AN/UAS-12D to Night Sight AN/UAS-12C
TI-4733-15/21A	Survey Instrument Calibration Program (SICP)
TM 08579A-12/1	Operator and Organizational Maintenance with Components list for the MULE
TM 08579A-15/5	Demilitarization Procedures for the MULE

TM 08579A-24P/3A Intermediate Direct Support and General Support Repair

Parts List (including Depot Maintenance Repair Parts and

Special Tools) for the MULE

TM 08579A-34/2A Intermediate Maintenance for the MULE and Fault

Isolation Test Set

TM 08579A-34/2A Supp. 1 Intermediate Maintenance for the MULE and Fault

Isolation Test Set

TM 08579A-34P/4A Intermediate Direct Support and General Support Repair

Parts List (including Depot Maintenance Repair Parts and Special Tools) for the MULE Intermediate Maintenance

Kit

TM 08911A-12/1 Operator and Organizational Maintenance Manual for the

North Finding Module (MX-18204/GSQ)

DOD 4000.25-1-M MILSTRIP MANUAL

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Material From the

Federal Supply System

Military Handbooks (For Guidance Only)

MIL-HDBK-61 Configuration Management Guidance

2.3 Industry Standards

JESD625-A Requirements for Handling Electrostatic-Discharge-

Sensitive (ESDS) Devices

ANSI/ISO/ASQC Q9002-

1994

Quality Systems- Model for Quality Assurance in

Production, Installation, and Servicing

Industry Standards (For Guidance Only)

ANSI/EIA-649 National Consensus Standard for Configuration

Management

Copies of Military Specifications and Standards are available from the DoD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, telephone (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the contracting officer: Commander, Marine Corps Logistics Bases, Attn: Contracting Officer (Code 891), 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained

from Life Cycle Management Center, Attn: Code 851-3, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

3.0 REQUIREMENTS

- **3.1** General Tasks. In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts, necessary to inspect, diagnose, restore, and test and calibrate the AN/PAQ-3. Upon completion of repairing the subject item it shall be Condition Code "A."
- **3.2** <u>Detailed Tasks</u>. The following tasks describe the different phases for repair of the AN/PAQ-3:

Phase I Pre-Induction
Phase I I Repair

Phase III Inspection, Testing, and Acceptance

Phase IV Packaging, Handling, Storage, and Transportation

(PHS&T)

- **3.2.1** Phase I- Pre-Induction. The Contractor shall perform a pre-induction inspection analysis for each AN/PAQ-3 within five working days of induction into the Contractor's facility for evaluation of repair capability. If repair is not feasible, assign Condition Code "H" (CC "H"), notify Marine Corps Logistics Bases (Code 833-1), Albany, Georgia for disposition instructions, otherwise assign CC "M" and induct into the repair cycle. The Pre-Induction checklist, which consist of DA Form 2404 (Appendix A) and Standard Form 364 (Appendix B), shall be used to report all anomalies and shall be provided to the Government (MCLBA Code 833-1) in accordance with section 4.0 of this SOW.
- **3.2.2** Phase II Repair. After pre-induction tests and inspections have been completed, repair of the AN/PAQ-3 shall be accomplished by the Contractor in accordance with this SOW. Deficiencies noted on the Pre-Induction Checklist (Appendix A and Appendix B)) during Phase I shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.

a. Hardware

- (1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety, and one-time use items. Unserviceable would include any of the above that failed to function properly.
- (2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.
- (3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.

b. <u>Publications and Documentation:</u> The following Standards and Publications shall be used to assist the Contractor in restoring the AN/PAQ-3 to condition code "A."

SL-3-08892A	Components List for the MULE Intermediate
	Maintenance Kit.
MI-08892A-35/1	Modification of the MULE Test Set Adapter
MI-08554D-50/1	Modification of Night Sight, AN/UAS-12D to
	Night Sight AN/UAS-12C
TI-4733-15/21A	Survey Instrument Calibration Program (SICP)
TM 08579A-12/1	Operator and Organizational Maintenance with
	Components list for the MULE
TM 08579A-15/5	Demilitarization Procedures for the MULE
TM 08579A-24P/3A	Intermediate Direct Support and General Support
	Repair Parts List (including Depot Maintenance
	Repair Parts and Special Tools) for the MULE
TM 08579A-34/2A	Intermediate Maintenance for the MULE and Fault
	Isolation Test Set
TM 08579A-34/2A Supp. 1	Intermediate Maintenance for the MULE and Fault
	Isolation Test Set
TM 08579A-34P/4A	Intermediate Direct Support and General Support
	Repair Parts List (including Depot Maintenance
	Repair Parts and Special Tools) for the MULE
	Intermediate Maintenance Kit
TM 08911A-12/1	Operator and Organizational Maintenance Manual
	for the North Finding Module (MX-18204/GSQ)

3.2.3 Phase III - Inspection, Testing, and Acceptance

- a. The Contractor shall conduct Inspection, Testing and Acceptance of the AN/PAQ-3 in accordance with the documents and TM's listed in paragraph 3.2.2 b.
- b. The Contractor shall be responsible for conducting required tests in accordance with applicable procedures and specifications.
- c. The Contractor shall be responsible for correcting any deficiencies identified during inspection/testing. MCLB (Code 833-1), Albany, GA representatives may require the Contractor to repeat tests or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

3.2.4 Phase IV - Packaging, Handling, Storage, and Transportation (PHS&T)

- a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this SOW. Items scheduled for long-term storage or shipment to overseas destination shall be in accordance with the level "A" requirements of MIL-STD-2073-1D, Appendix A, Table A.VI, Electronic Equipment. Items scheduled for immediate use, domestic shipment, or short-term shipment shall be in accordance with level "B" requirements.
 - b. Marking shall be in accordance with MIL-STD-129.

- c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). GFE is government owned equipment authorized by contract for use by a commercial/Government Contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a Contractor that will be consumed during the course of production or incorporated into the product being manufactured/remanufactured under a contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements the Management Control Activity (MCA/827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.
- **3.4** Contractor Furnished Materiel. The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel is required for repair parts, the contractor shall requisition through the DoD Supply System. DoD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.
- 3.5 <u>Configuration Control</u>. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without receiving prior written authorization from the Weapon System Manager (Code 833-1). If it is necessary to temporarily depart from the authorized configuration, the Contractor shall submit a Request for Deviation. MIL-HDBK-61 (paragraph 4.3 and table 4-9) and ANSI/EIA-649 (paragraph 5.3.4) provide guidance for preparing this configuration control document.
- **3.6** Electrostatic Discharge (ESD) Control Program. The contractor shall establish, implement and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.
- **3.7 Quality Assurance Provisions**. The contractor shall provide and maintain a quality system that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9002-1994, Quality Systems Model for Quality Assurance in Production, Installation, and Servicing. The program shall ensure quality throughout all areas to include processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the Contractor shall be responsible for performance of all inspection requirements. The Government (MCLBA Code 833-1) reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.
- **3.8** <u>Acceptance</u>. The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to in-

process review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and Marine Corps (MCLBA Code 833-1) representatives shall be permitted to observe the work or to conduct an inspection.

3.9 Rejection. Failure to comply with any of the specified requirements listed herein shall be reason for rejection by MCLB Code 833-1, Albany, representative. The Contractor shall, at no additional cost to MCLB, Albany, Georgia, correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.

4.0 REPORTS

- **4.1** <u>Pre-Induction Checklist</u>. The Contractor shall complete the Pre-Induction Inspection Checklist (Appendix A and Appendix B) for each AN/PAQ-3 repaired. These documents shall be available prior to final acceptance testing. One copy of each document shall be provided to Life Cycle Management Center, Attn: Code 833-1, 814 Radford Blvd STE 20320, Albany, Georgia 31704-0320, after final acceptance of the AN/PAQ-3.
- **4.2** <u>Repairable Item Inspection Report</u>. The Contractor shall provide a Repairable Item Inspection Report to the Government (MCLBA Code 833-1) for each AN/PAQ-3. The report shall be identified by United States Marine Corps Serial Number.
- **4.3** <u>Monthly Progress Reports</u>. The Contractor shall provide Monthly Progress Reports summarizing the progress and status of the AN/PAQ-3 Program to the Government (MCLBA Code 833-1).

		For us	e of this form, se	e DA PAM 739	8-750 and	1738-75	1: the propon	ent agency is DC	SLOG	
I. ORGANIZ	ATION	10143	e or ans rotti, se	C Dillian 15			NCLATURE and N		, in the contract of the contr	-
	ATION/SERIA	L/NSN	4a, MILES	4b. HOURS	4c. ROUN	IDS	4d. HOT	5 DATE	6 TY	PE INSPECTION
7.				AUBLICAD	LE REFERI		STARTS			
TM NUMBE	R		T	M DATE	LE KEFEKI	TM NUN	1BER		TM D	ATE
										_
		TM number.					UMN d - Sho .Column c.	w corrective action	on for deficienc	y or shortcoming
COLUM 	IN b - Enter	applicable con-	dition status Sym	ibol.		COL	UMN e - Indiv	/idual ascertainir	ig completed co	orrective action initial
COLUM	IN c - Enter	deficiencies an	d shortcomings.	8.0	`ATUS S	in this	column.			
"V" Ind	icatec a def	inianar in the e	quipment that pla		AIUJJ			Indiantas a mate	riel defect othe	r than a deficiency
inoperative		releticy in the ex	quipinent that pie	ices it iii aii		which	must be corr	ected to increase		
CIRCLE	D "V" - Ind	icoted a deficier	ncy, however, the	aquinment ma		complet	ery ser	rviceable.		
operated ur	ider specifi	c limitations as	directed by higher action can be act	r authority or a	15			IAL IN BLACK, ictory condition		E INK, OR PENCIL -
				•				•		
			ates that a require operation check,		due		AIRCRAFT -	Status symbols v	vill be recorded	in red.
			overdue MWO h		, uue	1				
accomplish		inpristice, or air	orerade mino n	us not been						
	ALL		S AND EQUIPM ICE WITH DIAC							
8a. SIGNAT	URE (Person(s) performing inspecti	(m)	86 TIME			daintenance Super		9b. TIME	10. MANHOURS
				<u> </u>			·		<u> </u>	REQUIRED
TM ITEM	STATUS	DEF	ICIENCIES AND SHO	ORTCOMINGS		1	CO	RRECTIVE ACTION		INITIAL WHEN
NO.	Ъ.		_					d.		CORRECTED
a.	D		<u> </u>			 		u.		
***************************************				<u> </u>					· · ·	
								٠,٠٠٠		
										
										 .
									·	
							7.8			
<u> </u>						-				
	 							·		
 -	 			 _			 			
	 		· · ·							
	 	<u> </u>								
	 				-	 				

DA FORM 2404 1 APR 79 Procedes edition of 1 Jan 84, which will be used

INSTRUCTIONS

DEPARTMENT OF DEFENSE: DLAR 4140.55/AR 735.11.2/NAVSUPINST 4440.127F/AFR 400.54/MCO 4430.3F, Reporting of Item and Packaging Discrepancies, and/or DLAR 4140.60/AR 12-12/NAVSUPINST 4920.9B/AFR 67.7/MCO 4140.1B, processing Discrepancy Reports Against Foreign Military Sales Shipments.

CIVILIAN AGENCIES: See FPMR handbook cited in 19 (2) (a).

REPORT OF DISCREPANCY (POD)

REPORT OF DISCREPANCY (ROD) SHIPPING PACKAGING					E OF PREPARATIO	ON	2. REPORT NUMBER					
SHIPPING PACKAGE 3. TO. (Name and Address, Include ZIP Code)		4. FROM: (Name and Address, Include ZII) Code)										
5a SHIPPERS NAME				5b. NUI	MBER AND DATE	OF INVOICE	Sc. TRANSPORTATION DOCUMENT NUMBER (GBL, Waybill, TCN, etc.)					
7a. SHIPPER'S NUMBER (Purchase Order Shipmont, Contract, etc)	7b. OFFICE ADMIN	VISTERING CO	ONTRACT	<u></u> _			8 REQUISITIONE etc.)	R'S NUMBER (R	equisition, Pm	rchase Reque		
9 SHIPMENT, B	LLING, AND RECEI				10.	DISCREPA		11.				
NSN/PART NUMBER AND NOMENCLATURE		UNIT OF ISSUE (b)	QUANTI SHIPPE BILLEI	D/	QUANTITY RECEIVED (d)	QUAN- TITY	UNIT PRICE (b)	TOTAL COST	CODE			
(a)			(c)		(4)	(a)	(0)	(c)	103			
12. REMARKS (continue on separate sheet of paper if nece	i	<u></u>						<u>L </u>	<u> </u>			
CONDITION OF MATERIAL CI - In condition other than that indicated on release/receipt document C2 - Expired shelf life C3 - Damaged parcel post shipment SUPPLY DOCUMENTATION D1 - Not received D2 - Blegible or mutilated D3 - Incomplete, Improper or without authority (Only when receipt cannot be properly processed) MISDIRECTED MATERIAL M1 - Addressed to wrong activity OVERAGE/DUPLICATE SHIPMENTS O1 - Quantity in excess of that requested (Other than unit) O3 - Quantity duplicate shipment PACKING DISCREPANCY P1 - Improper preservation	of issue pack)	PRODUCT QUALTIY DEFICIENCIES Q1 - Deficient material (Applicable to Grant Aid and FMS shipments) SHORTAGE OF MATERIAL S1 - Quantity less than that on receipt document S2 - Quantity less than that requested (Other than unit of issue pack) S3 - Non-receipt of parcel post shipments ITEM TECHNICAL DATA MARKINGS (i.e., Name Plates, Log Books, Operating Handbooks, Special Instructions, etc.) T1 - Missing T2 - Illegible or Mutilated T3 - Precautitionary operational markings missing T4 - Inspection data missing or incomplete T5 - Serviceability operating data missing or incomplete T6 - Warranty data missing WRONG ITEM (Identify requested item as a separate copy in Item 9, above) W1 - Incorrect item received W2 - Unacceptable substitute					1B - Material being retained (Not Romarks) 1C' - Supporting supply documentation requested 1D - Material still required, expedite shipment (Not applicable to FMS) 1E - Local purchase material to be returned at supplier's expense unless disposition instructions to the contrary are received within 15 days (Reply our everse) (Not applicable to FMS) 1F - Replacement shipment requested (Not applicable to FMS) 1G - Reshipment not required. Item to be re-requisition 1H - No action required. Information only					
P2 - Improper packing P3 - Improper Marking P4 - Improper unitization 13 FUNDING AND ACCOUNTING DATA		Z1 - See	SCREPANCIE Remarks			<u> </u>			·			
14a. TYPED OR PRINTED NAME, TITLE, AND PHONE	NUMBER OF PREPA	RING OFFICE	AL		14b. SIGNATURE							
15. DISTRIBUTION ADDRESSEES FOR COPIES					d							

(Previous edition is obsolete)

STANDARD FORM 364 (Rev. 2-80) (Prescribed by GSA FPMR 101.

364-103

7540-00-159-4442

16. FROM:		17. DISTRIBUTION ADDRESSEES FOR DISTRIBU	JTION
18. TO		. Use window	envelope to mail
		address, inclu starting one ty the left dot. Eac NOT extend t Address must no	Insert Name and ading ZIP Code, ping space below haddress line must beyond right dot. It exceed four single ping lines.
		DISCREPANCY ON FACE OF THIS FO	
a MATERIAL DOCUMENT NUM HAS WILL BEEN BE SHIPPED	BER	NO RECORD OF SHIPMENT. RESUBI TO PROPER OFFICE UNDER	MIT REPORT
c. AN ADJUSTMENT IN BILLING HAS BEEN/WILL BE PROCESSED AS A CREDIT	DEBIT	d INVOICE/BILL e ATTACHED	PROOF OF DELIVERY
f AN ADJUSTMENT IN BILLING FOR THIS REPORTED DIST	CREPANCY WILL NOT BE PROC	ESSED FOR THE FOLLOWING REASON WHICH IS	S CITED IN
(1) REASON FOR NOT PROCESSING		(2) PRESCRIBING RE	
(a) DISCREPANCY WAS NOT REPORTED WITHIN THE TIM	E FRAMES ALLOWED AND/OR	(a) CHAPTER 5 OF THE GSA HANDBOOD DISCREPANCIES OR DEFICIENCIES IN DOD SHIPMENTS, MATERIALS, OR BIL. (FPMR 101.26.8)	GSA OR
(b) DOLLAR VALUE DOES NOT MEET THE CRITERIA PRESC OR AGREEMENT INDICATED IN 193(2)	RIBED IN THE REGULATION	(b) CHAPTER 2 AND/OR 7 OF DOD 4000 MILITARY STANDARD BILLING SYSTEM (MILBILLS) AND/OR DD 1513, U.S. DOD O ACCEPTANCE, AS APPLICABLE	
20. THE	FOLLOWING DISPOSITION IS TO	DE MADE OF THE REFERENCED MATERIAL	IDAYS
a PROCESS FOR DISPOSAL IN ACCORDANCE WITH SERVICE/AGENCY DIRECTIVES	b REPRESENTATIVE DISPOSITION	WILL CALL FOR DISCUSSION CONCERNING	
c RETAIN MATERIAL AT NO CHARGE	d. MATERIAL WILL	BE PICKED UP IN:	DAYS
e SHIP MATERIAL Specify location)			
(1) GBL APPROPRIATION CHARGEABLE: (2) CHARGES COLLECT - VIA: FREIC	GHT EXPRESS	PARCEL POST	
	<u> </u>		(8
(3) PARCEL POST LABEL ATTACHED	(4) FREIGHT PRE	PAID	
f OTHER (Specify)			
21 IF MATERIAL IS STILL REQUIRED, SUBMIT NEW REQUISITION.	22 REPLACEMENT WILL BE MADE O	TTH SATISFACTORY MATERIAL N/OR BEFORE:	DATE
23. REMARKS (Continue on separate sheet of paper if necessary).			
24a TYPED OR PRINTED NAME AND PHONE NUMBER OF	24b. SIGNATURE		240
PREPARING OFFICIAL			DATE
		STANDARD FORM 364 BA	CK (REV. 2-80)

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved QMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arrington, VA 22202-4302. Respondents should be aware that notwritistending any inter provision of law, on person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DD NOT RETURN your form to the whove address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Black E.

A. CONTRACT LINE	ITEM NO.	B. EXHIBIT		C. CATEGORY:	ATUE	×				
D. SYSTEM/ITEM			E. CONTRACT/PR	L	F. CONTRA				_	
MUI	LE, AN/PAQ-3		L. COMITIACIAL			AG I SII				
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE					17. PRICE GROUP
A001		ogress, S	_	nagement Report		Managemen	nt			
4. AUTHORLTY /Data Acquis	ntion Document No.) MGMT-80227		5. CONTRACT REFEREN	SOW 4.3		6. REQUIRING OFFICE MCLBA	(833)			18. ESTIMATED TOTAL PRICE
7. DD 250 REQ	9. DIST STATEMENT	10. FREQUENC	<u> </u>	12. DATE OF FIRST SUBMISSI	ON	14. DISTRIBUTION	1 (033)			
LT	REQUIRED		THLY	See Blk 1		14. Dia missi ilia		b. COPIES		
8. APP CODE		11. AS OF DA	re	13. DATE OF SUBSECUENT SUBMISSION		a. Addressef		Final		
	A			See Blk 1	6		Draft	Reg Repro		
16. REMARKS Contractor for	mat is authorized.					MCLBA (833-1)	0	1	0	
	DI-MGMT-80227 0.3k, and 10.3n.	as follow	vs: Delete para	agraphs 10.3g, 10	.3h,	,				
1	eporting period sha submission shall b									
	quent submissions									i
										· -
Distribution St	atement A: Appro	oved for j	public release,	distribution is un	limited.					
										1
ļ										
										<u>.</u>
							•			İ
]						-				
									_	
									_	
									_	
										
										[
						15. TOTAL	0	1	0	
G. PREPARED BY			H. DATE	I. APPROVED B	<u>y_</u>		J. DATI	<u> </u>		, ·
Ross. B			30 Nov 7		/J-	MA		אר הפ	900	

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to everage 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington 2202 4302. Respondents should be aware that not/withstanding any other provision of law, no person shall be subject to any possibly for failing to collection of information in firt does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

. CONTRACT LINE I	TEM NO.	B. EXHIBIT	C. CATEGORY:							
				TM OTHE	R	X				
. SYSTEM/ITEM	LE, AN/PAQ-3	E. CONTRAI	CT/PR NO.	F. CONTR	ACTOR			_		
IVI U I. DATA ITEM NO.	2. TITLE OF DATA ITEM	!		3. SUBTITLE					$-\!\!-\!\!\!\dashv$	[
										Ш
B001		pairable Item Inspect	-	Inte	-	ogistics Sup	port S	tandar	ds	
AUTHORITY <i>(Data Acquisi</i> i DT	tion Document No.) [-ILSS-80386	5. CONTRACT R	SOW 4.2		6. REQUIRING	OFFICE MLCBA	A (833))		!
	9. DIST STATEMENT	10. FREQUENCY	12. DATE OF FIRST SU	BMISSION	14.	DISTRIBUTION	1 (033)	<u></u>		
LT	REQUIRED	ASREQ	See E	3lk 16				b. COPIES		
IPP CODE		11. AS OF DATE	13. DATE OF SUBSECU		a. A	ADDRESSEE	Draft	Fi	inal	
	A		See E	31k 16				Reg	Repro	
REMARKS Ontractor form	nat is authorized	d.			MCLB.	A (833-1)	0	1	0	
k 10 - A sepa paired.	arate report shal	ll be submitted for ea	ch MULE, AN/P	ΛQ-3						
ts 12 & 13 - npletion of e	Submit report beach MULE, Al	oy Marine Corps Seri N/PAQ-3.	ial Number 30 day	ys after				ļ	ļ	
k 14 - Report	ts shall be provi	ided on hard copy.								
istribution Sta	atement Λ: App	proved for public rele	ease, distribution	is unlimited.			1	<u> </u>	 	
		- -					T	<u> </u>		
									lacksquare	1
					ļ			ļ	ļ	
								ļ		
							1	 		
									$\vdash\vdash\vdash$	
							-			
					ļ		ļ	-	-	
								<u> </u>	\vdash	
							<u> </u>	<u> </u>		
									\vdash	
							<u> </u>	<u> </u>		
									$\perp \perp \downarrow$	
							}	}	 	
							†		 	· ·
									\Box	
							-	<u> </u>	$\perp \!\!\! \perp \!\!\! \perp$	
					15 TOTAL		0	1	1	
PREPARED BY		H. DATE	I. APPRO	VED.BY	IS. ISTAL		J. DAT		—~	
PREPARED BY NOSA - A		H. DATE	J. 2000 C)	VEORY -	15. TOTAL			DAT		

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is astimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202 4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. Issted in Black E

A. CONTRACT LINE	ITEM NO.	B. EXHIBI	T	C. CATEGORY:	OTHE	нX				
D. SYSTEM/ITEM			E. CONTRACT		F. CONTR			-		
	LE, AN/PAQ-3									17. PRICE
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE					17. PRICE
C001		Request	For Deviation	on	Configuration Man	nageme	ent		!	
4. AUTHORITY (Bata Acquis	sition Document No.) CMAN-80640C		5. CONTRACT REFE	RENCE SOW 3.5	•	8. REQUIRING OFFICE MCLB	A /Q51`	`		18. ESTIM TOTAL
7. DD 250 REQ	ONIAN-80040C	10. FREQUEN		12. DATE OF FIRST SUBMISS	ION	14. DISTRIBUTION	4 (031)			
LT	REQUIRED	A	ASREQ	SEE BLK	16	TV DISTILLA	b, COPIES			
8. APP CODE		11. AS OF DA	ATE	13. DATE OF SUBSECUENT SUBMISSION		a. ADDRESSEE	Draft	F	inal	
16. HEMAKAS	<u>A</u>	<u></u>				MCI DA (051.2)		Reg	Repro	
Blk 4 - Contra	ctor format in .do	oc or .pdf	software is	authorized.		MCLBA (851-2)	0		$\frac{1}{1}$	
Blks 10 & 12 - nonconforming documentation	RFDs shall be su g material which o	ibmitted t loes not r	to obtain aut neet prescrib	norization to delive sed configuration	r					
				thin 30 calendar da						
RFDs shall be	submitted via e-n figmngmnt@mate	nail to the	following a	ddress:			1			
mbmatcomcon	figmngmnt@mate	om.usmc	c.mil				·	-	·	
Distribution St	atement A: Appr	oved for	public releas	se, distribution is u	nlimited					
	**		•							
							-		 	
]	
								<u> </u>		
							1	-))
							<u> </u>	├		; 1
								<u> </u>	<u> </u>	
							.	<u></u>	 	:
							1.		+ 1	
									↓	
*							ļ			1
							 			
								<u> </u>	igwedge	i
									··	•
										!
G. PREPARED BY	·	-	UDATE	L ADDOOMS	DV	15. TOTAL	U DAT		0	
Xanils	. O Oli		H. DATE	I. APPROVED	May .		J. DAT	e Nou 2s	000	
DD FORM 1423-	1. AUG 96 (EG)		'''/'	PREVIOUS EDITION MAY B	E USED.		Page	øf	Pages	1